



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 08-APR-24 to 02-JUN-24

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 08-APR-24 to 02-JUN-24

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	2024	2023	2022			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1					2	1	15	9	2	3	1.5	2.0
Hepatitis B (unspecified)	12	13	13	9	10	7	8	9	230	206	168	34	34.7	1.0
Hepatitis C (newly acquired)		2	1		1	1	1	1	49	38	29	4	7.4	0.5
Hepatitis C (re-infection)					1	2			6	5	0	3	0.5	6.4
Hepatitis C (unspecified)	15	28	14	16	18	16	24	24	364	352	293	82	59.5	1.4
Hepatitis D				2				1	8	2	3	1	0.5	2.1
Enteric diseases														
Campylobacteriosis	83	73	74	83	91	58	71	25	1905	2092	1344	245	233.6	1.0
Cryptosporidiosis	26	25	25	20	23	10	17	10	435	88	160	60	13.9	4.3
Hepatitis A	1								9	6	4	0	0.5	0.0
Listeriosis									1	2	1	0	0.2	0.0
Paratyphoid fever					1				3	10	0	1	0.2	5.0
Rotavirus	21	24	29	12	14	17	10	1	339	504	144	42	27.9	1.5
STEC/VTEC infection	2	1	5	2	4	3	1	1	94	126	93	9	10.2	0.9
Salmonellosis	40	35	38	36	30	22	19	9	827	763	434	80	107.1	0.7
Shigellosis	13	17	11	22	13	11	7	1	229	184	51	32	16.9	1.9
Typhoid	1		1						10	13	6	0	0.4	0.0
Vibrio parahaemolyticus	1	1	2	1		1		1	14	2	3	2	0.5	3.8
Yersiniosis	3	4	1	3	3	3	3		71	45	8	9	2.5	3.6
Sexually transmissible infections														
Chlamydia (genital)	250	319	219	269	249	280	259	112	5584	5549	4582	900	851.5	1.1
Gonorrhoea	112	90	109	99	98	87	85	24	2218	1921	1256	294	277.7	1.1
Syphilis - Infectious	9	9	10	19	12	13	7	6	270	324	328	38	55.6	0.7
Syphilis - Non-Infectious	1	4	3	3	3	3	2	3	101	106	99	11	18.4	0.6
Vaccine preventable diseases														
Influenza	108	129	148	158	176	195	203	126	3181	6512	714	700	2066.5	0.3
Measles									2	1	0	0	0.2	0.0
Mumps						1			5	1	1	1	0.8	1.3
Pertussis	13	17	12	6	9	7	4	2	162	21	15	22	11.7	1.9
Pneumococcal infection	9	4	2	1	5	4	4		73	73	62	13	17.9	0.7
Varicella (chicken pox)	16	7	20	11	9	15	5	1	204	183	142	30	33.8	0.9
Varicella (shingles)	54	45	47	69	53	45	28	2	1004	1112	1040	128	178.7	0.7
Varicella (unspecified)	53	44	48	59	69	44	58	53	1153	1162	1033	224	143.2	1.6
Vector-borne diseases														
Barmah Forest virus		3		1			1		10	19	10	1	1.8	0.6
Chikungunya									5	5	2	0	0.2	0.0
Dengue fever	18	25	24	31	17	20	10	1	261	89	8	48	10.1	4.7
Malaria		1	3	2	1		1	1	24	22	9	3	2.5	1.2
Murray Valley encephalitis virus		1		1	1				3	6	0	1	0.2	5.0
Ross River virus	7	7	5	4	6	6	5		151	153	388	17	33.5	0.5
Typhus	1	1		1					15	11	4	0	1.7	0.0
Zoonotic diseases														
Brucellosis									1	1	0	0	0.0	0.0
Leptospirosis									0	3	0	0	0.2	0.0
Q Fever	1		1					1	5	3	3	1	0.9	1.2
Other diseases														
Acute post-streptococcal glomerulon			1					1	15	5	11	1	1.1	0.9
Creutzfeldt-Jakob disease									1	1	2	0	1.0	0.0
Legionellosis		4		1	2			1	24	34	30	3	6.9	0.4
Melioidosis								1	5	3	3	1	0.7	1.5
Meningococcal infection	2				1				4	3	9	1	1.3	0.8
RSV	78	67	67	62	86	91	119	54	1421	1116	1389	350	145.9	2.4
Tuberculosis	6	4	2	4	7	3	4	5	90	54	37	19	10.3	1.9
iGAS	6	8	2	3	5	8	3		96	97	71	16	8.1	2.0
Grand Total	963	1013	937	1011	1018	973	965	474						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	2024	2023	2022			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1					2	1	12	4	1	3	1.1	2.8
Hepatitis B (unspecified)	10	10	10	9	10	6	8	9	192	173	136	33	28.7	1.1
Hepatitis C (newly acquired)		2	1				1		42	33	22	2	5.9	0.3
Hepatitis C (re-infection)					1	2			5	5	0	3	0.4	7.5
Hepatitis C (unspecified)	13	25	10	10	13	13	20	18	268	263	215	64	42.1	1.5
Hepatitis D				2					7	2	2	0	0.4	0.0
Enteric diseases														
Campylobacteriosis	59	57	58	57	76	38	58	18	1477	1661	1068	190	182.7	1.0
Cryptosporidiosis	23	21	23	12	21	8	12	9	376	45	119	50	8.1	6.1
Hepatitis A	1								8	6	3	0	0.3	0.0
Listeriosis									1	2	1	0	0.1	0.0
Paratyphoid fever				1	1				3	9	0	1	0.2	5.0
Rotavirus	19	23	28	11	14	15	9		314	441	122	38	22.5	1.7
STEC/VTEC infection	1		2		1	1		1	47	76	57	3	6.9	0.4
Salmonellosis	31	25	26	28	26	15	11	8	646	550	302	60	77.9	0.8
Shigellosis	13	15	11	18	8	9	4	1	177	143	22	22	10.1	2.2
Typhoid	1		1						8	11	5	0	0.1	0.0
Vibrio parahaemolyticus	1	1	2	1		1		1	13	2	3	2	0.3	6.0
Yersiniosis	3	4	1	3	3	3	3		67	36	7	9	2.0	4.5
Sexually transmissible infections														
Chlamydia (genital)	187	252	173	207	201	220	205	97	4396	4349	3631	723	669.1	1.1
Gonorrhoea	83	66	75	68	78	67	64	23	1673	1400	805	232	191.9	1.2
Syphilis - Infectious	5	5	5	11	7	7	5	3	170	196	232	22	33.8	0.7
Syphilis - Non-Infectious	1	3	2	3	1	1	1	1	59	63	57	4	11.7	0.3
Vaccine preventable diseases														
Influenza	75	98	105	123	121	141	155	107	2410	4824	473	524	1561.5	0.3
Measles									2	1	0	0	0.1	0.0
Mumps									3	1	0	0	0.5	0.0
Pertussis	3	5	1		2	2	1	1	53	17	12	6	10.1	0.6
Pneumococcal infection	6	1	2	1	3	2	3		43	45	31	8	10.1	0.8
Varicella (chicken pox)	14	7	19	8	8	12	4	1	167	141	100	25	25.0	1.0
Varicella (shingles)	35	27	27	46	31	26	15	1	657	720	710	73	124.3	0.6
Varicella (unspecified)	52	38	46	57	67	40	53	47	1095	1119	970	207	137.1	1.5
Vector-borne diseases														
Barmah Forest virus		2					1		6	5	2	1	0.5	1.9
Chikungunya									5	5	2	0	0.2	0.0
Dengue fever	15	18	15	29	13	16	6	1	202	70	7	36	8.0	4.5
Malaria			3	1	1		1	1	19	19	8	3	2.1	1.4
Murray Valley encephalitis virus					1				1	1	0	1	0.1	15.0
Ross River virus	2	6	2	1	2	4	3		56	77	255	9	19.5	0.5
Typhus	1	1		1					9	9	0	0	0.9	0.0
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									0	2	0	0	0.0	0.0
Q Fever	1						1		3	1	2	1	0.5	2.1
Other diseases														
Acute post-streptococcal glomerulon									6	1	1	0	0.3	0.0
Creutzfeldt-Jakob disease									1	0	1	0	0.8	0.0
Legionellosis		4		1	1				19	23	23	1	4.6	0.2
Melioidosis									1	1	0	0	0.3	0.0
Meningococcal infection	2				1				3	1	9	1	0.7	1.4
RSV	51	43	39	43	69	61	90	33	943	882	859	253	117.3	2.2
Tuberculosis	6	3	2	4	6	3	3	4	71	49	32	16	9.3	1.7
iGAS	5	7	2	1	3	3			54	61	37	6	4.2	1.4
Grand Total	720	770	691	757	790	717	739	386						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1 (1)	0.5			0.3	1	2	0.8
Hepatitis B (unspecified)	2	4 (10)	5.4	4	12 (5)	8.0	3	17 (17)	12.8
Hepatitis C (newly acquired)			0.8		1 (3)	2.5		1 (2)	2.5
Hepatitis C (re-infection)					(2)	0.1		3	0.5
Hepatitis C (unspecified)	2	12 (6)	5.5	7	25 (20)	17.3	9	27 (14)	14.4
Hepatitis D						0.3			0.7
Enteric diseases									
Campylobacteriosis	6	72 (106)	70.1	6	47 (66)	70.8	6	71 (67)	61.9
Cryptosporidiosis	7	30 (1)	26.1	1	10	10.5	1	10	14.4
Hepatitis A			0.1			0.3			0.7
Listeriosis						0.1			
Paratyphoid fever								1 (2)	0.4
Rotavirus		15 (11)	13.1		13 (9)	15.4		10 (14)	14.7
STEC/VTEC infection	1	3 (1)	2.8		(3)	1.5		(3)	2.1
Salmonellosis	2	24 (37)	41.9	4	19 (26)	25.6	2	17 (25)	20.9
Shigellosis		7 (5)	7.2	1	6 (4)	6.3		9 (6)	10.6
Typhoid			0.3			0.1			0.7
Vibrio parahaemolyticus		1	0.4	1	1	0.7			0.7
Yersiniosis		3 (2)	2.8		5 (2)	3.7		1 (2)	2.8
Sexually transmissible infections									
Chlamydia (genital)	35	223 (201)	183.0	28	208 (235)	190.7	34	292 (319)	227.7
Gonorrhoea	8	54 (64)	61.2	9	66 (85)	65.7	6	112 (127)	101.3
Syphilis - Infectious		4 (6)	5.1	1	7 (9)	7.5	2	11 (19)	10.7
Syphilis - Non-Infectious		1 (1)	2.3		(3)	1.9	1	3 (10)	3.8
Vaccine preventable diseases									
Influenza	44	226*****	136.1	26	129 (830)	89.6	37	169 (853)	103.0
Measles									0.3
Mumps			0.1			0.1			0.1
Pertussis	1	4 (1)	2.7		2	2.6		(1)	2.0
Pneumococcal infection		4 (6)	2.0		2 (2)	1.9		2 (5)	2.0
Varicella (chicken pox)		6 (19)	7.1	1	9 (8)	6.4		10 (9)	9.2
Varicella (shingles)		26 (35)	30.9	1	23 (48)	31.6		24 (43)	27.7
Varicella (unspecified)	17	65 (81)	49.9	14	67 (80)	50.9	16	75 (77)	49.4
Vector-borne diseases									
Barmah Forest virus					1	0.7			0.1
Chikungunya						0.6			0.1
Dengue fever		12 (3)	10.4	1	13 (5)	9.2		11 (5)	8.1
Malaria		(1)	0.7		1	0.7	1	2 (1)	1.2
Murray Valley encephalitis virus		1	0.1						
Ross River virus		4 (1)	2.8		4 (11)	3.7		1 (1)	1.3
Typhus		(2)	0.1			0.6			0.5
Zoonotic diseases									
Brucellosis									0.1
Q Fever						0.1		1	0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						0.4		(1)	0.4
Creutzfeldt-Jakob disease			0.1						
Legionellosis		1	0.5		(2)	0.9		(2)	1.2
Melioidosis						0.1			
Meningococcal infection			0.1		1	0.3			
RSV	13	105 (157)	57.6	9	67 (94)	34.9	11	81 (107)	36.2
Tuberculosis	2	8 (4)	2.7	1	4 (2)	2.9	1	4 (1)	4.1
iGAS		3 (4)	2.1		(4)	2.8		3 (7)	2.5
Grand Total	140	919 *****		115	743 *****		131	970 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	1.1			1.6			
Hepatitis B (unspecified)			3.2			1.6			8.2
Hepatitis C (newly acquired)				1	2 (1)	4.9			
Hepatitis C (re-infection)						1.6			
Hepatitis C (unspecified)	1	1 (3)	11.3	1	2 (4)	24.3		(1)	8.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	20 (29)	87.9		4 (5)	79.3	1	9 (9)	76.5
Cryptosporidiosis	1	4 (1)	11.8			11.3			5.5
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	2 (1)	4.3		1	1.6		(1)	2.7
STEC/VTEC infection		1 (1)	5.4		2	9.7		(4)	9.6
Salmonellosis		5 (7)	26.8		(1)	22.7			28.7
Shigellosis		1 (1)	5.9			3.2		1	5.5
Typhoid									
Vibrio parahaemolyticus			0.5						
Yersiniosis			1.6						1.4
Sexually transmissible infections									
Chlamydia (genital)	6	35 (42)	130.2	1	13 (8)	111.6	2	15 (10)	105.2
Gonorrhoea	1	11 (18)	39.1		1 (2)	25.9		4 (7)	27.3
Syphilis - Infectious		(3)	2.1			6.5			5.5
Syphilis - Non-Infectious			1.6		1	4.9		(1)	4.1
Vaccine preventable diseases									
Influenza	6	42 (155)	112.5	2	10 (67)	101.9		8 (31)	58.7
Measles									
Mumps									
Pertussis	1	9	30.5			1.6			8.2
Pneumococcal infection		3 (2)	3.2					1 (1)	4.1
Varicella (chicken pox)		2 (8)	6.4		1	12.9		1 (1)	5.5
Varicella (shingles)	1	22 (28)	90.6		14 (10)	84.1		3 (7)	39.6
Varicella (unspecified)	1	2	1.1		4 (4)	17.8		3 (1)	12.3
Vector-borne diseases									
Barmah Forest virus		(1)	0.5						
Chikungunya									
Dengue fever		5	11.8		2	8.1		1	4.1
Malaria			0.5						
Murray Valley encephalitis virus									
Ross River virus		1	21.4			4.9		(1)	2.7
Typhus			0.5			3.2			2.7
Zoonotic diseases									
Brucellosis									
Q Fever			0.5			1.6			
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis		2	1.1		(2)	3.2			
Melioidosis								1	1.4
Meningococcal infection									
RSV	6	27 (22)	38.0	9	21 (19)	69.6	1	2 (3)	17.8
Tuberculosis		(1)	1.6			4.9		(1)	4.1
iGAS		1 (1)	2.7		(1)	1.6		1	2.7
Grand Total	29	196 (325)		14	78 (124)		4	50 (79)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	7.0		(2)	2.1		(1)	18.8
Hepatitis C (newly acquired)					(1)	6.2			1.7
Hepatitis C (re-infection)									
Hepatitis C (unspecified)	2	4 (1)	31.3		4 (2)	28.9	1	3	17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		4 (5)	60.9	1	7 (7)	70.3		2 (3)	51.3
Cryptosporidiosis		4 (2)	13.9		(1)	4.1		2	17.1
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (2)	5.2		(1)	4.1		(4)	3.4
STEC/VTEC infection		1 (1)	15.7		1 (1)	6.2		(1)	6.8
Salmonellosis		3 (3)	40.0		1 (3)	26.9		7 (3)	41.1
Shigellosis			8.7		(1)	2.1		5 (1)	25.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	16 (17)	187.9	1	26 (22)	283.1	2	28 (43)	337.0
Gonorrhoea		5 (5)	88.8		9 (17)	183.9		7 (13)	102.6
Syphilis - Infectious		4 (2)	29.6		4 (4)	31.0	3	4 (13)	39.3
Syphilis - Non-Infectious	2	3	20.9		(1)	14.5		1 (3)	13.7
Vaccine preventable diseases									
Influenza	3	14 (42)	74.8	2	24 (147)	146.7	1	18 (85)	164.2
Measles									
Mumps									
Pertussis		1	8.7		6	76.5			5.1
Pneumococcal infection		1	5.2			14.5			8.6
Varicella (chicken pox)		1	8.7		(1)	8.3			6.8
Varicella (shingles)		4 (6)	27.8		5 (4)	47.5		3 (2)	30.8
Varicella (unspecified)	1	2 (2)	31.3	1	1 (1)	4.1	1	1	3.4
Vector-borne diseases									
Barmah Forest virus			3.5						1.7
Chikungunya									
Dengue fever		1	1.7			4.1		(1)	6.8
Malaria									
Murray Valley encephalitis virus			1.7					(1)	1.7
Ross River virus					1	2.1		3 (1)	12.0
Typhus									1.7
Zoonotic diseases									
Brucellosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis			1.7						
Melioidosis									
Meningococcal infection						2.1			
RSV	1	2 (5)	31.3		6 (6)	31.0	3	22 (5)	87.2
Tuberculosis	1	1 (1)	3.5			4.1			1.7
iGAS		2	10.4		1 (1)	12.4		1	13.7
Grand Total	11	74 (96)		5	96 (223)		11	107 (180)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	3 (2)	0.6
Hepatitis B (unspecified)		(3)	20.8	9	34 (41)	8.5
Hepatitis C (newly acquired)				1	4 (8)	1.8
Hepatitis C (re-infection)				0	3 (2)	0.1
Hepatitis C (unspecified)	1	4 (2)	32.7	24	82 (58)	13.3
Hepatitis D	1	1	3.0	1	1 (0)	0.3
Enteric diseases						
Campylobacteriosis		2 (4)	77.2	25	245 (302)	70.3
Cryptosporidiosis			11.9	10	60 (5)	16.1
Hepatitis A				0	0 (0)	0.3
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	1 (2)	0.1
Rotavirus		(5)	5.9	1	42 (48)	12.5
STEC/VTEC infection			17.8	1	9 (15)	3.5
Salmonellosis	1	2 (7)	83.1	9	80 (114)	30.5
Shigellosis		2 (5)	32.7	1	32 (24)	8.5
Typhoid				0	0 (0)	0.4
Vibrio parahaemolyticus				1	2 (0)	0.5
Yersiniosis				0	9 (6)	2.6
Sexually transmissible infections						
Chlamydia (genital)	2	32 (53)	849.2	112	900 (967)	206.2
Gonorrhoea		20 (33)	608.7	24	294 (382)	81.9
Syphilis - Infectious		4 (6)	92.0	6	38 (63)	10.0
Syphilis - Non-Infectious		2 (1)	11.9	3	11 (20)	3.6
Vaccine preventable diseases						
Influenza	3	52 (116)	528.5	126	700*****	117.5
Measles				0	0 (0)	0.1
Mumps				0	1 (0)	0.2
Pertussis				2	22 (2)	6.0
Pneumococcal infection		(4)	14.8	0	13 (20)	2.7
Varicella (chicken pox)				1	30 (48)	7.5
Varicella (shingles)		4 (2)	65.3	2	128 (187)	37.1
Varicella (unspecified)	1	2 (1)	5.9	53	224 (249)	42.6
Vector-borne diseases						
Barmah Forest virus				0	1 (1)	0.4
Chikungunya				0	0 (0)	0.2
Dengue fever		(1)	11.9	1	48 (15)	9.6
Malaria			3.0	1	3 (2)	0.9
Murray Valley encephalitis virus				0	1 (2)	0.1
Ross River virus		1 (5)	103.9	0	17 (22)	5.6
Typhus				0	0 (2)	0.6
Zoonotic diseases						
Brucellosis				0	0 (0)	0.0
Q Fever				0	1 (0)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	26.7	0	1 (2)	0.6
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Legionellosis				0	3 (6)	0.9
Melioidosis			8.9	0	1 (0)	0.2
Meningococcal infection				0	1 (1)	0.1
RSV		11 (9)	724.5	54	350 (435)	52.5
Tuberculosis			5.9	5	19 (10)	2.2
iGAS		3 (4)	38.6	0	16 (23)	3.5
Grand Total	9	143 (262)		474	3430 (6701)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 22	
	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	2024	2023
	Salmonella Total	40	35	38	36	30	22	19	9	827
Serotype/Phage										
Salmonella Abony									1	0
Salmonella Adelaide					1				1	2
Salmonella Agona				1			1		12	10
Salmonella Anatum			1				1		7	7
Salmonella Bareilly									1	2
Salmonella Blukwa									2	0
Salmonella Bonn									1	0
Salmonella Bootle									1	0
Salmonella Bovismorbificans	1	1	1	1					16	13
Salmonella Braenderup	1			1					2	3
Salmonella Brandenburg									1	2
Salmonella Bredeney							1		2	1
Salmonella Cerro									5	3
Salmonella Chailey				1					2	1
Salmonella Chester	4	2	3		2				38	30
Salmonella Choleraesuis bv Australia				1	1				8	12
Salmonella Choleraesuis bv Decatur					1				7	4
Salmonella Corvallis				1					3	4
Salmonella Djama					1				1	0
Salmonella Eastbourne		1							2	3
Salmonella Erkek									2	0
Salmonella Enteritidis	4	5	5	6	5	4	3		77	60
Salmonella Hadar		1							1	2
Salmonella Haifa									1	0
Salmonella Havana	1		1						5	4
Salmonella Heidelberg			1				1		3	1
Salmonella Hessarek									1	3
Salmonella Hvittingfoss				1					6	3
Salmonella Infantis	1	2		1		1			26	16
Salmonella Jangwani							1		2	0
Salmonella Javiana									1	1
Salmonella Johannesburg									4	2
Salmonella Jubilee	1								1	0
Salmonella Kentucky	1		1		1		1		8	9
Salmonella Kiambu									3	5
Salmonella Kottbus									2	6
Salmonella Lansing		1							2	1
Salmonella Lexington									1	0
Salmonella Mbandaka	1		1						4	0
Salmonella Meleagridis					1				1	0
Salmonella Mgulani									1	2
Salmonella Mississippi				1					1	1
Salmonella Montevideo									1	2
Salmonella Muenchen	2	2	1	1		1			19	12
Salmonella Muenster	1								1	2
Salmonella Newport			1			2	1		12	14
Salmonella Ohio		1							1	0
Salmonella Onderstepoort									1	0
Salmonella Oranienburg			1						1	4

Weekly Report for period 08-APR-24 to 02-JUN-24

	14/04	21/04	28/04	05/05	12/05	19/05	26/05	02/06	Cumulative Total to end of Week 22	
									2024	2023
Salmonella Total	40	35	38	36	30	22	19	9	827	725
Serotype/Phage										
Salmonella Orion	1								1	2
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	3	4	7	4	5	4	1		56	39
Salmonella Poona									1	6
Salmonella Potsdam		1							2	6
Salmonella Reading	1						1		2	4
Salmonella Rissen		1			3				8	1
Salmonella Saintpaul	1	1		2		1			18	99
Salmonella Schwarzengrund		1				1			2	3
Salmonella Senftenberg							1		5	4
Salmonella Singapore	1								6	3
Salmonella Stanley	1		1	1	2	1			11	13
Salmonella Tennessee				1	1				3	0
Salmonella Thompson									1	2
Salmonella Typhimurium	7	7	7	7	2	1			265	160
Salmonella Virchow	1	1	1	1					11	6
Salmonella Wangata					3				4	5
Salmonella Waycross									1	0
Salmonella Weltevreden	1					1			8	11
Salmonella species	5	3	5	3	1	3	8	9	114	113
Salmonella subsp 1 ser 4,5:d:-				1					1	0
Salmonella subsp I ser 16:l,v:-									3	0
Salmonella subsp IIIb 48:r:e,n,x,z15									1	0